

SR Vivodent DCL

Yeni diřler SR Vivodent DCL, yüksek deęerde DCL- materyalinden oluřur. Chromascop-, A-D-renkleri und popöler Bleach- renkleri ile geniř bir yelpazeye sahiptir. SR Vivodent DCL ile hastalarınızı doęal SR Vivodent DCL görünümlü restorasyonlarla güldürebilirsiniz. SR Vivodent DCL'nin esası „ çift çapraz bağlantılı“ maddeden oluřur.

SR Vivodent DCL:

- *Doku dostu
- *Abrazyona dayanıklı
- *Plaklara dirençli
- *Renkleri sabit
- *Ařındırmalarda saęlam
- *Mükemmel cilalanabilme
- *Protez baz materyali ile güçlü bir bağlantı

Avantajları:


- *Daha iyi ařınma durumu için özellikle yüksek deęerde DCL – materyali
- *Geniř bir kalıp yelpazesi
- *A-D ve 20 adet Chromascop renklerinde
- *Doęal canlılıkta tabakalama tasarımı
- *Sabit protezlerde renk uyumu (A-D ve Chromascop renkleri)

Renkler:

- *16 adet A-D rengi
- *20 adet Chromascop rengi
- *Bleach- renkleri

Form:

- *24 adet üst anterior diř form
- *8 adet alt anterior diř formu



SR Orthotyp DCL

SR Orthotyp DCL, yüksek deęerde DCL- materyalinden oluřur(çift- apraz- baęlantılı). A-D-renkleri und popler Bleach- renkleri ile geniř bir yelpazeye sahiptir. SR Orthotyp DCL ile hastalarınızı doęal grnml restorasyonlarla gldrebilirsiniz. SR Orthotyp DCL'nin esası „ çift apraz baęlantılı“ maddeden oluřur.Toksisite testleri bu materyalin doku ile uyumluluęunu onaylıyor.

SR Orthotyp DCL zellikleri:

*Doku dostu *Abrazyona dayanıklı *Plaklara direnli *Renkleri sabit *Ařındırmalarda saęlam

*Mkemmел cilalanabilme *Protez baz materyali ile gl bir baęlantı

Avantajları:

*Yksek deęerde DCL – materyali *A-D ve Bleach - renklerinde *Geniř bir kalıp yelpazesi

*Doęal canlılıkta tabakalama tasarımı *Sabit protezlerle A-D renklerinde renk uyumu

Renkler:

*16 adet A-D rengi

*Bleach- renkleri

Form:

*5 adet st posterior diř formu

*5 adet alt posterior diř formu



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.04.2015

Version number 8

Revision: 20.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Manufacture of dental prosthesis
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ivoclar Vivadent AG
Bendererstrasse 2
FL-9494 Schaan
PRINCIPALITY OF LIECHTENSTEIN
- Tel: +423 235 35 35
Fax: +423 235 33 60
- **Further information obtainable from:**
Regulatory Affairs
sds@ivoclarvivadent.com
- **1.4 Emergency telephone number:** +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards** Avoid breathing sanding dust /swarf.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Resin teeth based on polymethylmethacrylate
- **Dangerous components:** Void
- **Additional information:** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Mechanical effects only.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.04.2015

Version number 8

Revision: 20.04.2015

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 1)

- **After swallowing:** Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Pick up mechanically.
- **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Only adequately trained personnel should handle this product.
For use in dentistry only.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Usual hygienic measures for dental practice.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.04.2015

Version number 8

Revision: 20.04.2015

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 2)

- **Respiratory protection:** Use respiratory protective device against the effects of dust.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Always wear safety goggles during mechanical processing (grinding, sawing /cutting, drilling, milling).

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid
Colour:	According to product specification
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not determined.
- **Self-igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapour pressure:** Not applicable.
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not applicable.
- **Evaporation rate** Not applicable.
- **Solubility in / Miscibility with water:** Insoluble.
- **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.04.2015

Version number 8

Revision: 20.04.2015

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 3)

- | | |
|--------------------------------|--|
| · Viscosity: | |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| · Solvent content: | |
| Solids content: | 100.0 % |
| · 9.2 Other information | |
| | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable under normal handling and storage conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None under normal conditions of storage and use.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitisation:** No sensitising effects known.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 29.04.2015

Version number 8

Revision: 20.04.2015

Trade name: SR Vivodent DCL, SR Orthotyp DCL, SR Ortholingual DCL, SR Postaris DCL, SR Orthoplane DCL

(Contd. of page 4)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN "Model Regulation":	-

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
The product is a medical device according to the Directive 93/42/EEC.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
- *** Data compared to the previous version altered.**